

ИНФОРМАТИКА

предмет

ШИФР

55-10-инфр-2

N1

Рынок игровых приставок

20	50	15
40	40	10
60	450	120
80	550	150
100	650	120



N2

$$100x_1 - 10x_2 - 1100x_3 = 1000, \quad 10x_1 + x_2 = 1000, \quad x_1 = 47, x_2 = 23, P_{10}$$

1) $100x_1 - 10x_2 = 1000$

$$\begin{array}{r} 100x_1 \\ - 10x_2 \\ \hline 1000 \end{array}$$

2) $100x_1 - 10x_2 = 1000, \quad x_1 = 100, x_2 = 10$

$$\begin{array}{r} 1000 \\ - 1000 \\ \hline 0 \end{array}$$

3) $100x_1 - 10x_2 = 1000$

$$\begin{array}{r} 1000 \\ - 1000 \\ \hline 0 \end{array}$$

4) 10500000

50

0000	0
0001	1
0010	2
0011	3
0100	4
0101	5
0110	6
0111	7
1000	8
1001	9
1010	A
1011	B
1100	C
1101	D
1110	E
1111	F

ИЧ ФОРМАТИКА

предмет

ШИФР

55-10-УАОР-2

$2^5 = 32$ bytes

$$x_1 \rightarrow x_2 \rightarrow x_3 \rightarrow x_4 \rightarrow x_5 = 1$$

London - 21

1050-1052

x_1	x_2	x_3	x_4	x_5	F
0	0	0	0	0	1
0	0	0	0	1	2
0	0	0	1	0	3
0	0	1	0	0	4
0	1	0	0	0	5
0	1	0	1	0	6
0	1	1	0	0	7
0	1	1	1	0	8
1	0	0	0	0	9
1	0	0	1	0	10
1	0	1	0	0	11
1	0	1	1	0	12
1	1	0	0	0	13
1	1	0	1	0	14
1	1	1	0	0	15
1	1	1	1	0	16
1	1	1	1	1	17
1	1	1	1	1	18
1	1	1	1	1	19
1	1	1	1	1	20
1	1	1	1	1	21

By E. A. R.

$N = 1$ not important

LEED

for a range of N

L. appendiculi

Li = 1.2 p.u. 3.76, +1.1

for i in range(0, 4):

[C:] append line(L, [0])

John C.

for i in range(0, 11):

$$J(u, v) = [L(u), L(v)]$$

пр. ит. [7] Рассчитываемое значение - $\{J_{\text{н.н}} + (W^2/H)\}^{1/2}$

25

۱۰

156

